

A Color Morphology based on Pareto-dominance Relation and Hypervolume Measure

Mario Köppen, Dept. of Artificial Intelligence, Kyushu Institute of Technology, Iizuka, Fukuoka, Japan, mkoeppe@ieee.org, and
Katrin Franke, Dept. of Computer Science and Media Technology, Gjøvik University College, Gjøvik, Norway, kyfranke@ieee.org

Abstract

Challenges in designing non-linear color and multi-spectral image filters can be addressed by known approaches from the field of multi-objective optimization. In particular Pareto-set theory is considered to be feasible. In this paper we explore the impact of so-called indicator functions, which are used to represent all points on a Pareto front. Thereby, we focus on the most common indicator function that is the Hypervolume. It is used to derive an alternative approach to color morphology. We present the conceptual base for the morphological operators, a study of their properties and show their impact in real-world applications, i.e. secure document analysis.

Introduction

Color-image processing is of essential importance in order to increase robustness, versatility and reliability of technical vision systems. Potential application of color-image processing are for example object recognition, image understanding, retrieval and compression. Since modern computing equipments with significant improvements of its calculation and storing capabilities are becoming available far and wide, color-image processing is becoming a kind of state-of-the-art. However, challenges in designing sophisticated color-image processing filters are still the

- I. Multi-variate nature of color data that complicates the extension of some gray-scale image filters to the color domain, and
- II. Dual nature of human color-perception sensitiveness, that is being highly sensitive to smallest “color artifacts,” and being highly insensitive for luminescence variations within images, e.g. under varying lightning conditions at once.

In order to address these challenges we investigated approaches, which have been developed in the past for the study of (continuous) multi-objective optimization problems. We found out that concepts of *Pareto dominance* and related Pareto-set-based means can also be applied in the formulation of image-processing operators for multi-variate data. In this paper we discuss a new concept for handling the multi-variate color-image data and study the *Hypervolume measure* for defining an alternative approach to color morphology.

The remainder of this paper is organized as follows: the first section revisits mathematical color morphology briefly, while the next section deals with the fundamentals of Pareto-set theory that are needed for the definition of the hypervolume, which itself will be more detailed afterwards. The following section then gives the options of using the hypervolume as a base for the specification of morphological operation. The paper ends with a conclusion section.

Mathematical Color Morphology

Morphological filtering is an non-linear image-to-image transformation by means of a structural element that acts like

a probe sensitive for structural information. Mathematical Morphology in general is based on set theory [5]. Its core definitions are fixed for binary and gray-scale images. Color is more than a simply “add-on” to gray-scale images, as exemplified by human perception abilities. In addition, there is no unique way to extend the concepts of gray-scale morphology to color images. The fundamental lack of a “natural sort order” of multi-variate data and the numerical differences due to the choice of different color spaces make it hard or even impossible to define something like THE Color Morphology. Different viewpoints have led so far to the proposal of a number of useful operations for the processing of color images. Among these viewpoints we can find the linear weighted, or scalar, approaches, where a multi-variate channel-intensity vector is mapped onto a point by a scalar function that is monotone in each argument.

In this paper, we are studying an intensity-based Color Morphology, with its main difference to other Color Morphologies being the generation of a gray-scale image that cannot be the result of a morphological operation on a gray-scaled version of the color image itself. The formal techniques for achieving this goal come from the field of multi-objective optimization and its related concept of *Pareto dominance*.

A simple example is the generation of a gray-scale image from a color image, where each pixel’s gray-scale represents the number of Pareto-dominating points in the neighborhood of this pixel. Practically this comes out to be an edge operator. However, recent interest has been grown on the use of the so-called *Hypervolume measure* in order to access quality in multi-objective optimization. Given a set of points, the Hypervolume is defined as the *Lebesgue measure* of the set of all points that are Pareto-dominated by at least one of the given points. By considering the Hypervolume in the color-image domain, it can be easily seen that this Hypervolume corresponds to another kind of Color Morphology, where each pixel in the filtered image represents the Hypervolume of its set of neighbours in the original color image. In the following, some properties of the Hypervolume, as used as an image-processing filter will be derived, and some potential applications of this approach to Color Morphology will be shown.

Pareto-set theory

The notion of *Pareto efficiency* originally stems from economics. In the late 19th century, Vilfredo Pareto established a model for the economic stability of a society, where an economy is in a state where one can only become more rich if someone else becomes more poor. In modern terms, given a feasible set of multi-variate values (vectors, points, objectives, decision criteria), each of its elements is considered to be Pareto-efficient, if for any other element having a larger component there is always another component that is smaller. This notion gave rise to the definition of a *Pareto-dominance relation*. For two vectors $a = (a_i)$ and $b = (b_i)$ from R_n it is said that a Pareto-dominates

b if and only if

$$a >_D b \leftrightarrow \forall_i (a_i \geq b_i) \wedge \exists_j (a_j > b_j) \quad (1)$$

where $i, j = 1, 2, \dots, n$. This definition is accompanied by the related definition for minimum dominance, where the “ $>$ ” is replaced by “ $<$ ” and “ \geq ” is replaced by “ \leq .” To avoid confusion, we will refer to the former one also as *maximum Pareto dominance*, and by *minimum Pareto dominance* to the latter one.

Note that in general not $a >_D a$. There is the extension to the so-called weak dominance, or $a \geq_D b$, if and only if either $a = b$ or $a >_D b$. Also, the (weak) Pareto dominance is transitive, i.e. from $a >_D b$ and $b >_D c$ follows $a >_D c$, but is not given a complete ordering relation, as for two vectors a and b neither $a >_D b$ nor $b >_D a$ may hold (example are the two vectors $(1, 2)$ and $(2, 1)$).

Given a set of vectors $V = v_i$, the term (maximum/minimum) *Pareto-set* refers to its subsets of all elements that are not (maximum/minimum) Pareto-dominated by any other element of the set.

In general, a Pareto-set may give raise to a number of quantitative measurements. By indicating with $P_{max/min}(S)$ the maximum/minimum Pareto-set of the set S , and by $|M|$ the number of elements of an arbitrary set M , the following measures can be introduced:

- The percentage of non-maximum dominated elements: $r_{max} = |P_{max}(S)|/|S|$.
- The percentage of non-minimum dominated elements: $r_{min} = |P_{min}(S)|/|S|$.
- The absolute difference between r_{max} and r_{min} : $r_\delta = |r_{max} - r_{min}|$.
- For any element $s \in S$, the number $n_{pmax/pmin}(s, S)$ of elements of S that maximum/minimum-Pareto dominate s .
- For any element $s \in S$, the number $n_{amax/amin}(s, S)$ of elements of S that are maximum/minimum Pareto-dominated by s ¹.
- The largest and smallest values of $n_{pmax/pmin}(s, S)$ and $n_{amax/amin}(s, S)$ among all $s \in S$.

The list could be easily continued.

The Pareto-dominance relation allows for an ordering of a set S of vectors by assigning rank values to each element. This is the so-called non-dominated sorting, and further operations can be based on this ranking. All elements of $P(S)$ get rank 1 assigned, all elements of $P(S - P(S))$ rank 2 and so on, until the remaining set is empty. The disadvantage of this way of ordering is that elements that are different, but of the same rank are indistinguishable, and this ranking cannot be further refined.

Ranking in the multi-variate domain is not restricted to the Pareto-dominance relation. A less rough way of ordering is the so-called lexmin ordering. Here, in case of maximum preference, the element with a smaller largest component would come before an element with a larger largest component. If both element have the same largest component, then comparison is based on the second-largest component, if they are equal on the third-largest and so on. While the Pareto non-dominated sorting usually assigns rank 1 to more than one element, the lexmin ordering only selects one element as firstly ranked (and all that are equal to it, but only these).

Both strategies can be combined, since the first element in the lexmin sorting is also an element of the Pareto-set. So, the

¹The “a” and “p” stand for active and passive dominance in the relation $a >_D b$, i.e. the fact that a dominates b (active) or b is dominated by a (passive).

lexmin can be used to sort the elements of the non-dominated sorting of the same rank. However, several other secondary ranking methods have been proposed in the literature, especially methods related to the NSGA-II algorithm [4], an evolutionary algorithm for multi-objective optimization [1].

Each of the proposed methods can be used for the specification of an image-processing operation on color images. If the image is provided in an intensity-based (technical) color space like RGB, then a pixel is a mapping from the image coordinates (x, y) to a tuple (r, g, b) , where r indicates its red color component, b its blue component and g its green component. Usually, r, g and b are taken from the integers in $(0, \dots, 255)$, and the pixel coordinates are integers taken from a rectangularly bounded domain $(0, \dots, (width - 1)) \times (0, \dots, (height - 1))$.

A masked operator is an image processing operation, which is based on a topology (or neighborhood system) that is assigned to the image pixel coordinate domain. The mask M of a masked operator assigns a subset of the image pixel coordinate domain to each pixel. In the most common form, these are the direct neighbours of the pixel, but other assignments are feasible as well. The mask is also sometimes referred to as structuring element, especially in the discipline of Mathematical Morphology.

A number of masked operators for color images based on Pareto-set analysis can be easily defined, using any of the operations listed in the beginning of this section. Figure 1 gives a few examples for such operations. It is notable that the operators based on the number of dominating neighbours appear to work as edge detectors in the image.




Figure 1. Pareto-set measurements as masked image operators in the 8-neighborhood (8NB): (a) original image; (b) number of points in 8NB dominating central point (CP); (c) number of points in 8NB dominated by CP; (d) size of Pareto-set in 8NB.

Hypervolume and its properties

Recently, and in relation to the design of heuristic multi-objective optimization algorithms, interest has grown in the so-called Hypervolume. We can find evolutionary multi-objective optimization algorithms employing the concept of the Hypervolume [6, 2], as well as multi-objective counterparts of the simulated annealing algorithm [3].

The Hypervolume is defined as follows: given a set $V = v_i$ of N vectors from a bounded domain in R_n (the feasible space), the Hypervolume is the Lebesgue measure of all vectors (i.e. points in the feasible space) that are Pareto-dominated by at least one of the vectors in V .

If we assume for example the feasible space to have a lower bound of 0 for all components, and target for maximization, than

each vector v (or point) in R_n^+ dominates all points within the hyper-cube having v as its outermost corner. The Hypervolume then is the union set of all these hyper-cubes for all vectors in V (see fig. 2).




Figure 2. Example for the hypervolume enclosed by the points $(1,1,3), (1,3,1), (3,1,1)$ and $(2,2,2)$. The union of the four cubes has a volume of 11.

Hypervolume usage as image-processing operator

Preliminaries

In gray-scale image processing, an operator is considered to be a dilation if it commutes with the supremum. A similar specification can be given for color dilation, by using the concept of Pareto-dominance. Then, any operation that commutes with the Pareto-set set operator (i.e. the mapping of a set S to $P(S)$) is considered a color dilation. Practically, this has usually been seen as the provision of a selection procedure from the Pareto-set of a color pixels' neighbours (if seen them as three-dimensional vectors (r, g, b)). A simple example is to use as color value at position (x, y) in the processed image the color value of all neighbours of (x, y) (including (x, y)) in the processing image with the maximum sum $r + g + b$ (or one of them if there are more).

Since this will always give a single color value vector, the Pareto-set is composed of this maximum color value, and since the used scalar function is monotone, the operation always commutes with the operation of taking the Pareto-set. However, it has not been considered so far that the operation could also map into the gray-scale domain. Considering the Hypervolume, it is obvious that its value does not change under the addition of dominated points. So, it can be seen as an alternative way of specifying a morphological operation. Since we may consider maximization or minimization, and the Hypervolume of the union and section, we find the following four Hypervolume-related morphological operators:

1. maximum Hypervolume of the union of the vectors dominated by the p_i , and divided by g_{max}^3
2. maximum Hypervolume of the section of the vectors dominated by the p_i , and divided by g_{max}^3
3. minimum Hypervolume of the union of the vectors dominated by the p_i , and divided by g_{max}^3
4. minimum Hypervolume of the section of the vectors dominated by the p_i , and divided by g_{max}^3

and as a first composition the six pairwise absolute differences between these four operations. Examples for all these operations are shown in the figures 3 and 4².

²Note that in case of minimum union/section, a following inversion




Figure 3. Application of the four hypervolume methods to a color image: 1 maximum union, 2 minimum union, 3 maximum section and 4 minimum section hypervolume.




Figure 4. Pixel-wise absolute differences between the gray-values of pairs of hypervolume measures: (a) maximum union and minimum union, (b) maximum union and maximum section, (c) maximum union and minimum section, (d) minimum union and maximum section, (e) minimum union and minimum section, and (f) maximum section and minimum section.

Potential applications

As in the binary or gray-scale morphology, starting from the basic operations dilation and erosion, a number of other operators can be defined (opening, closing, thickening, thinning, top-hat transform etc.). This can also be done for the proposed Hypervolume based morphology. Here we are considering the use of such operator for the processing of the scan image of a security document. Figure 5 shows a part of the scan of an ID-card, where some security features are only visible in the UV light. However, UV scan might be to expensive for e.g. small, mobile devices. The right half shows, how the (absolute) difference image between maximum union hypervolume and maximum section hypervolume helps to visualize the hidden security features even from a camera image in the visible light spectrum.

of the result image would give a specification, which is more consistent with a gray-value image erosion.

The small activations by the small eagle patterns in the blue channel lead to a more or less uniform representation of these areas after the hypervolume processing. With such an approach, for example, it becomes possible to check hidden security features that are difficult to reproduce in low, medium effort counterfeit passports.




Figure 5. The difference image between maximum union and maximum section hypervolume applied to a scan of a security document visualizes features (the small eagle symbols) that can usually only be seen under UV light.

At this point we want to emphasize that the approach to color morphology presented in this paper is able to enhance structural information that varies in a very little color range only.

Conclusion

In this paper, we have discussed the opportunities for taking analytical methods of multi-objective optimization to the domain of color image processing. The multi-variate nature of color images allows for a more or less direct translation of Pareto-set theory based measurements to image processing operators. Such operators can account for the local dominance relations among the pixel in the neighborhood of a pixel. Counting dominance relations is one easy way to specify new operators, and some of them come out to be edge operators. One of the more interesting recent tools of multi-objective optimization analysis is the hypervolume, which stands for the Lebesgue measure of all points dominated by a given set of points, and is an example for the so-called indicator functions. The hypervolume, if used as an image processing operator, appears to be a morphological operation, since it is commuting with taking the supremum (infimum), meaning the taking of the Pareto-set of a set of points. In contrary to other color morphologies, which now can be characterized as “selection-based”, this morphology is intensity-based. The result of the application is a gray-value image, and it was exemplified that such an approach can be much more separatively (due to the higher dimensionality) for small intensity fluctuations in local pixel neighborhood.

Acknowledgment

This research was partially supported by the Japan Society for the Promotion of Science, Grant-in-Aid for JSPS Fellows, 18.06094.

References

[1] Kalyanmoy Deb, Samir Agrawal, Amrit Pratab, and T. Meyarivan. A Fast Elitist Non-Dominated Sorting Genetic Algorithm for Multi-Objective Optimization: NSGA-II. In Marc Schoenauer, Kalyanmoy Deb, Günter Rudolph, Xin Yao, Evelyne Lutton, J. J. Merelo, and Hans-Paul Schwefel, editors, *Proceedings of the Parallel Problem Solving from Nature VI Conference*, pages 849–858, Paris, France, 2000. Springer. Lecture Notes in Computer Science No. 1917.

[2] Michael Emmerich, Nicola Beume, and Boris Naujoks. An emo algorithm using the hypervolume measure as selection criterion. In C. A. Coello et al., editor, *Proc. Evolutionary Multi-Criterion Optimization: 3rd Int'l Conf. (EMO 2005)*, LNCS, vol. 3410, pages 62–76, Berlin, 2005. Springer.

[3] M. Fleischer. The Measure of Pareto Optima. Applications to Multi-objective Metaheuristics. In Carlos M. Fonseca, Peter J. Fleming, Eckart Zitzler, Kalyanmoy Deb, and Lothar Thiele, editors, *Evolutionary Multi-Criterion Optimization. Second International Conference, EMO 2003*, pages 519–533, Faro, Portugal, April 2003. Springer. Lecture Notes in Computer Science. Volume 2632.

[4] Mario Köppen and Kaori Yoshida. Substitute distance assignments in nsga-ii for handling many-objective optimization problems. In Shigeru Obayashi, Kalyanmoy Deb, Carlo Poloni, Tomoyuki Hiroyasu, and Tadahiko Murata, editors, *Evolutionary Multi-Criterion Optimization, 4th International Conference, EMO 2007, Matsushima, Japan, March 2007. Proceedings*, LNCS 4403, pages 727–741. Springer Berlin, Heidelberg, 2007.

[5] J. Serra. *Image Analysis and Mathematical Morphology*. Academic Press, 1982.

[6] Eckart Zitzler and Simon Künzli. Indicator-based Selection in Multiobjective Search. In Xin Yao et al., editor, *Parallel Problem Solving from Nature - PPSN VIII*, pages 832–842, Birmingham, UK, September 2004. Springer-Verlag. Lecture Notes in Computer Science Vol. 3242.

Author Biography

Mario Köppen studied physics at the Humboldt-University of Berlin and received his master degree in solid state physics in 1991. Afterwards, he worked as scientific assistant at the Central Institute for Cybernetics and Information Processing in Berlin and changed his main research interests to image processing and neural networks. From 1992 to 2006, he was working with the Fraunhofer Institute for Production Systems and Design Technology. He continued his works on the industrial applications of image processing, pattern recognition, and soft computing, esp. evolutionary computation. During this period, he achieved the doctoral degree at the Technical University Berlin with his thesis works: “Development of an intelligent image processing system by using soft computing” with honors. In 2006, he became JSPS fellow at the Kyushu Institute for Technology in Japan, where he is conducting now research in the fields of multi-objective optimization and multimodal content management. He has published around 100 peer-reviewed papers in conference proceedings, journals and books. <http://science.mkoeppen.com>

Katrin Franke received a master degree in electrical engineering from the Technical University Dresden, Germany in 1994 and her Ph.D. in artificial intelligence from the Groningen University, The Netherlands in 2005. From 1994-2006 she was with the department of security technology at Fraunhofer Institute for Production Systems and Design Technology in Berlin, Germany. In January 2007 she joined the Norwegian Information Security Laboratory at Gjøvik University College and is now holding the position of an associate professor in information security. She is conducting teaching and research mainly in the fields of computational forensics, biometrics, document and handwriting analysis, computer vision and computational intelligence. She has published more than 50 scientific articles in international journals, peer-reviewed conference and edited books. <http://kyfranke.com>