

Perceptual Impact of Peak Luminance and Contrast in Direct View HDR Display

Kenneth Chen* ; New York University, USA
 Yunxiang Zhang* ; New York University & Meta Reality Labs, USA
 Qi Sun; New York University, USA
 Alexandre Chapiro; Meta Reality Labs, USA

Abstract

Characterization of a high dynamic range (HDR) display's performance can be largely defined by its contrast and peak luminance. Prior work has studied this question for virtual reality (VR) using a haploscopic HDR setup, but it is not obvious if those results are transferrable to a more traditional viewing setting, such as direct view. In this work, we conducted a study to measure user preference for different contrast and peak luminance conditions across several orders of magnitude, shown on a professional HDR display with peak luminance of 1,000 nits and 1,000,000:1 contrast. The data is used to develop a computational model that can drive display design and future standardization of the definition of HDR, in terms of human preference.

Introduction

The contrast and peak luminance of a display are the most important characteristics defining the quality of a high dynamic range (HDR) display. Industry standards for commercial displays define at which point a display can be considered HDR for these parameters and others, like color gamut and bit depth. However, standards such as DisplayHDR do not provide a perceptual rationale for how tiers were selected in their standard. We show that DisplayHDR is not spaced in equal perceptual units (see Figure 1), as defined by our model. Prior work has tried to answer this question, but have not studied the full range of parameters relevant for HDR displays.

Much of the prior work on characterizing preferences in HDR displays has focused on determining black level or highlight preferences, but not the two in combination. We compare different studies in Table 1. Furthermore, prior works have studied conditions specific to a certain application, such as virtual and augmented reality (VR/AR) or cinema. It is unclear whether the results of studies targeting these specific application scenarios can be translated to more traditional direct view conditions.

In our work, we develop a unified perceptual scale for quantifying user preference across different contrast and peak luminance parameters in a more traditional, direct view HDR scenario. We do this by following the study methodology of Chen et al. [1], with some modifications for direct-view displays. This scale allows us to make design decisions for display that can inform decisions on display power and more.




Figure 1. In this plot, we show that the existing standard for HDR, DisplayHDR, is not spaced in equal perceptual units (JODs) as defined by our model. Red X marks are equally spaced as evaluated by this model (parameter values can be seen in Table 2).

Background & Related Work

The term HDR can encompass the full pipeline of capture, processing, and display. HDR capture can include camera technologies with specialized sensors, and processing pipelines may include technologies that convert camera captures to HDR content. In this work, we focus on HDR display technology – specifically on how the performance of an HDR display can impact user preferences.

Kunkel and Reinhard [8] argued that the contrast capabilities of a high-end display could approximate the simultaneous dynamic range, i.e. the brightest and darkest features detectable under a given adaptation state, of the human visual system, which can span more than 4.7 log nits of luminance. Work on lightness perception [9] found that the human visual system is capable of distinguishing lightness values over a range of greater than 3 log nits of luminance. While these works studied the perceptual thresholds of absolute luminance perception, ours aims to study a more practical question of user preference across a range of relevant HDR contents.

The work of Chen et al. [1] forms the basis of this paper, and

Comparison of our work to prior studies.

Study	Peak Luminance	Contrast	Setting
Wanat et al. [2]	✗	✓	Direct View
Mantiuk et al. [3]	✗	✓	Direct View
Chen et al. [4]	✓	✗	Augmented Reality
Hammou et al. [5]	✓	✗	Direct View
Matsuda et al. [6]	✓	✓	Virtual Reality
Daly et al. [7]	✓	✓	Cinema
Chen et al. [1]	✓	✓	Virtual Reality
Ours	✓	✓	Direct View




Figure 2. User study stimuli (representative video frames) are shown here, grouped by content category and tone-mapped for display. The luminance distribution of each scene is shown to right, in logarithmic units. Note that the black background in Productivity and Faces scenes was excluded when plotting luminance distribution.

is the only study that has defined a perceptual scale for HDR for a wide range of contrast and peak luminance parameters. However, their study focused on HDR VR, where they designed a haploscope testbed. Much of the prior work has studied one of either peak luminance or contrast, but not both. Matsuda et al. [6] used a prototype HDR VR headset [10] to study preferred peak luminance for different passthrough VR scenes. The work of Daly et al. [7] studied preferences for different exposure values in diffuse images, and highlight preference in images with specular regions. Their work focused on cinema, and even simulated exit sign lighting. Other works [2, 3] aimed to determine black level requirements of an HDR display, while some studied the effect of peak luminance on realism [4] or of the interaction of peak luminance and viewing distance [5]. Our work is the first to define a perceptual scale for HDR across several orders of magnitude for both peak luminance and contrast in a direct view HDR setting.

Experiment Methods

The goal of our user study is to determine preference scores across a range of peak luminance and contrast parameters in a direct-view HDR display. We base our study design on Chen et al. [1], but adapted it for our direct-view scenario. The main differences between the two studies is in the hardware apparatus and in the stimuli, both described in the next paragraphs.

Hardware Apparatus An EIZO CG3146 professional HDR monitor with a peak luminance of 1,000 nits and contrast ratio of 1,000,000:1 was used as our testbed for subjective studies. The display was calibrated with a spectroradiometer to a REC.2020 color gamut with PQ EOTF. Participants were seated 114.3 cm (0.88 diopters) away from the display, and the room lights were turned off.

Participants In total, 12 participants (6 men, 6 women) took part in the study. Participants had normal or corrected-to-normal vision, and completed the Ishihara test to assess color vision deficiency before beginning the experiment. The study was approved by an Institutional Review Board (IRB).


Stimuli Users were shown two scenes from each of four relevant content categories: faces, productivity, entertainment, and user-generated content (UGC). See Figure 2 for example frames taken from the stimuli videos, tone-mapped for display here. Productivity and faces content as well as the "Werewolf" scene are from Chen et al. [1], "Showgirl" from Froehlich et al. [11], and UGC scenes from Song et al. [12]. The luminance distributions of the videos is also displayed. Videos were encoded with HDR10 metadata (4K, 60fps, 10-bit, BT. 2100 primaries, PQ EOTF), and manually mastered to the range of the HDR display.

Five contrast and five peak luminance conditions were simulated using tone mapping:

- Peak luminances: 63, 125, 250, and 1,000 nits
- Contrasts: 64:1, 320:1, 1,600:1, 8,000:1, and 40,000:1

The reference condition was anchored at 1,000 nits peak luminance and 1,000,000:1 contrast, which is the maximum capability of our HDR display.

A visualization of different parameter configurations using our display simulation tone mapper is shown in the inset, to right. We applied a generic S-shaped tone curve [4], defined by the fixed tone mapper from Chen et al. [1], to simulate differences in peak luminance and black level. The peak luminance is modified by computing a smooth roll-off at a starting luminance value, defined by a spline. The goal of this tone curve is to preserve mid-tones, while modulating black level and highlights. A similar tone curve was described in an International Telecommunication Union (ITU) standard recommendation for HDR TV [13].



Procedure The method of pairwise comparison was used in this study, with a two-interval forced-choice design (2-IFC). To start each trial, participants first viewed the reference (1,000 nit peak, 1,000,000:1 contrast) video. Participants were then able to switch between the reference and two test videos using a standard keyboard. During stimuli switching, a grey blank screen is inserted to not allow direct comparisons while swapping stimuli. The study task was to select the test video that appears closer to the reference, in terms of both contrast and brightness. In order to reduce the number of total comparisons, we used an adaptive sampling algorithm to schedule the optimal trials to show users. The ASAP [14] algorithm is used for this purpose; the algorithm samples trials by maximizing expected information gain. In total, the data amounted to 2,400 total trials completed.




Figure 3. Here, we show subjective study results (scatter points) and model fits (solid lines). The x -axis represents variable logarithmic contrast (left) or peak luminance (right), and the y -axis perceptual impact in JODs. The reference (red star) is pegged to 0 JODs. Single lines represent constant peak luminance (left) or contrast (right) conditions.

Results The pairwise comparison responses were scaled to perceptual quality JOD scores assuming Thurstone’s Case V assumptions using the *pwcmp* technique [15]. We show the scaled results in Figure 3 as scatter points, at constant peak luminance and contrast at left and right, respectively. Error bars, representing 95% confidence intervals, were simulated using 500 bootstrap samples via the same *pwcmp* algorithm. Inter-quartile normalized scores were computed, also using *pwcmp*, to detect outliers of which none were found.

We note that quality generally increases with contrast and peak luminance, but dips when contrast is extremely low (e.g. 64:1) and peak luminance is high (1,000 nits). The same effect was found to be true in Chen et al. [1] and Seetzen et al. [16].

An N-way analysis of variance (ANOVA) was conducted to determine the main effects of all study variables on JOD scores. The main effect of contrast and peak luminance on JODs was found to be significant ($p \ll 0.01$). The main effect of scene on JODs was not found to be significant, but the interaction effect of contrast and peak luminance with scene was ($p \ll 0.01$). The interaction effect of contrast and peak luminance was also significant ($p = 0.001$).

The closest related work to ours is the study from Chen et al. [1], where a perceptual scale was defined for HDR VR. We compared our results with those from Chen et al. [1] and computed correlations between the two datasets. We visualize this in Figure 4, where the x -axis are JODs from Chen et al. [1] and the y -axis JODs from our direct-view study. The Spearman rank order correlation was found to be $\rho = 0.97$ ($p = 1.41 \times 10^{-15}$), the Pearson correlation was $\rho = 0.98$ ($p = 2.38 \times 10^{-17}$), and the RMSE was 0.488. From this, we can conclude that there is high correlation between our results and the haploscopic ones from Chen et al. [1], suggesting that the two viewing conditions result in similar preference scores. We note, however, that direct view JOD scores are consistently higher (above identity line) for low-contrast conditions and lower for high-contrast conditions.

Model

We optimized the parameters of the polynomial model from Chen et al. [1] to our subjective study data. The model has the




Figure 4. We compare our direct-view results (y -axis) with the haploscopic (HDR VR) results from Chen et al. [1] (x -axis). Point color defines \log -contrast, and point size defines peak luminance. The dashed line represents the identity line.

following form:

$$\mathcal{M}(L_{\min}, L_{\max}) = \left(k_1 - k_2 \sqrt{L_{\min}}\right) \cdot \left(\log_{10}(L_{\max})^{k_3}\right) - k_4, \quad (1)$$

where L_{\min} and L_{\max} are black level and peak luminance, respectively, and k_i are parameters to be optimized. The model outputs JODs given these inputs. Note that we define contrast as $C = \frac{L_{\max}}{L_{\min}}$, so contrasts can be converted to black level L_{\min} . The optimized parameter values are

$$k_1 = 3423.04, k_2 = 0.00014, k_3 = 3426.64, k_4 = 0.68530. \quad (2)$$

The fitted model has RMSE of 0.134 and MAE of 0.110, in JOD units. Model fits plotted over study data are shown in Figure 3 as solid lines, and across the full range of peak luminance and contrast in Figure 5.

Applications

We apply the computational model to relevant applications, including display design and HDR standardization.

Display Design

The design of a display – the hardware components that affect its performance – influences factors like power consumption [17] and manufacturing/fabrication cost. In an LC display, power can be modeled as a linear function of peak luminance [17, 18]. Interpreting display power savings given the plot in Figure 5, the peak luminance axis (y -axis) can be taken to represent relative power savings. Iso-JOD lines then represent a tradeoff in display power (peak luminance) and contrast. More complex dimming schemes, e.g. local dimming, may boost contrast, thereby allowing lower peak luminance (and power consumption) at the same perceptual impact.




Figure 5. We show a heatmap representing model evaluations for combinations of contrast (x -axis) and peak luminance (y -axis), both logarithmic. Colors represent perceptual impact in JODs, with the baseline set to a typical display with 100 nits peak luminance and 1,000:1 contrast. Star points are parameters of DisplayHDR, and the dashed lines represent iso-JOD lines. Red dashed lines (and X's) are equally spaced between the lowest and highest tiers in DisplayHDR.

HDR tier list.

	DisplayHDR			Ours		
	Peak Luminance	Contrast	JOD	Peak Luminance	Contrast	JOD
Tier 1	400	1,300	1.08	400	1,300	1.08
Tier 2	500	7,000	1.46	500	3,750	1.39
Tier 3	600	8,000	1.59	650	12,000	1.67
Tier 4	1,000	30,000	2.01	920	24,000	1.95
Tier 5	1,400	50,000	2.25	1,400	50,000	2.25

HDR Standard

Given our model, we can define a new tier list for HDR displays that is perceptually-informed. In the DisplayHDR standard, tiers spacing is not perceptually uniform when computed using our model, as seen in Figure 1. Instead, we can use our model to interpolate between the lowest and highest tiers of DisplayHDR to sample JOD scores uniformly (shown with red crosses in Figure 5 and Figure 1). Peak luminance, contrast, and JOD values for DisplayHDR and our adjusted parameters are shown in Table 2.

Conclusion

In this work, we defined a perceptual scale across a wide range of peak luminance and contrast parameters, spanning multiple magnitudes, for a direct-view HDR display. We simulated these different displays using tone mapping, and conducted a study assessing preference for relevant content categories. Data was scaled to perceptual units, and compared to prior art. The data was fit to a model and applications in display design and perceptually-uniform display categories were explored.

Acknowledgments

We thank Yuta Asano and Krzysztof Wolski for help with the study software development and hardware calibration. This

project would not have been successful without the support of Rachana Thorsten who conducted the user study. We thank the user study participants for their time, as well as Katelyn Troastle, Ali Yousefi, and Romain Bachy for help with logistics.

References

- [1] Kenneth Chen, Nathan Matsuda, Jon McElvain, Yang Zhao, Thomas Wan, Qi Sun, and Alexandre Chapiro. What is hdr? perceptual impact of luminance and contrast in immersive displays. In *Proceedings of the Special Interest Group on Computer Graphics and Interactive Techniques Conference Papers*, SIGGRAPH Conference Papers '25, New York, NY, USA, 2025. Association for Computing Machinery. ISBN 9798400715402. doi: 10.1145/3721238.3730629. URL <https://doi.org/10.1145/3721238.3730629>.
- [2] Robert Wanat, Josselin Petit, and Rafal Mantiuk. Physical and Perceptual Limitations of a Projector-based High Dynamic Range Display. In Hamish Carr and Silvester Czanner, editors, *Theory and Practice of Computer Graphics*. The Eurographics Association, 2012. ISBN 978-3-905673-93-7. doi: /10.2312/LocalChapterEvents/TPCG/TPCG12/009-016.
- [3] Rafal Mantiuk, Scott Daly, and Louis Kerofsky. The luminance of pure black: exploring the effect of surround in the context of electronic displays. In Bernice E. Rogowitz and Thrasyvoulos N. Pappas, editors, *Human Vision and Electronic Imaging XV*, volume 7527, page 75270W. International Society for Optics and Photonics, SPIE, 2010. doi: 10.1117/12.840549. URL <https://doi.org/10.1117/12.840549>.

- [4] Bin Chen, Akshay Jindal, Michal Piovarči, Chao Wang, Hans-Peter Seidel, Piotr Didyk, Karol Myszkowski, Ana Serrano, and Rafał K. Mantiuk. The effect of display capabilities on the gloss consistency between real and virtual objects. In *SIGGRAPH Asia 2023 Conference Papers*, SA '23, New York, NY, USA, 2023. Association for Computing Machinery. ISBN 9798400703157. doi: 10.1145/3610548.3618226. URL <https://doi.org/10.1145/3610548.3618226>.
- [5] Dounia Hammou, Lukáš Krasula, Christos G. Bampis, Zhi Li, and Rafał K. Mantiuk. The effect of viewing distance and display peak luminance — hdr av1 video streaming quality dataset. In *2024 16th International Conference on Quality of Multimedia Experience (QoMEX)*, pages 193–199, 2024. doi: 10.1109/QoMEX61742.2024.10598289.
- [6] Nathan Matsuda, Alex Chapiro, Yang Zhao, Clinton Smith, Romain Bachy, and Douglas Lanman. Realistic luminance in vr. In *SIGGRAPH Asia 2022 Conference Papers*, SA '22, New York, NY, USA, 2022. Association for Computing Machinery. ISBN 9781450394703. doi: 10.1145/3550469.3555427. URL <https://doi.org/10.1145/3550469.3555427>.
- [7] Scott Daly, Timo Kunkel, Xing Sun, Suzanne Farrell, and Poppy Crum. Preference limits of the visual dynamic range for ultra high quality and aesthetic conveyance. In Bernice E. Rogowitz, Thrasyvoulos N. Pappas, and Huib de Ridder, editors, *Human Vision and Electronic Imaging XVIII*, volume 8651, page 86510J. International Society for Optics and Photonics, SPIE, 2013. doi: 10.1117/12.2013161. URL <https://doi.org/10.1117/12.2013161>.
- [8] Timo Kunkel and Erik Reinhard. A reassessment of the simultaneous dynamic range of the human visual system. In *Proceedings of the 7th Symposium on Applied Perception in Graphics and Visualization*, APGV '10, page 17–24, New York, NY, USA, 2010. Association for Computing Machinery. ISBN 9781450302487. doi: 10.1145/1836248.1836251. URL <https://doi.org/10.1145/1836248.1836251>.
- [9] Ana Radonjić, Sarah R. Allred, Alan L. Gilchrist, and David H. Brainard. The dynamic range of human lightness perception. *Current Biology*, 21(22):1931–1936, 2011. ISSN 0960-9822. doi: <https://doi.org/10.1016/j.cub.2011.10.013>.
- [10] Nathan Matsuda, Yang Zhao, Alex Chapiro, Clinton Smith, and Douglas Lanman. Hdr vr. In *ACM SIGGRAPH 2022 Emerging Technologies*, SIGGRAPH '22, New York, NY, USA, 2022. Association for Computing Machinery. ISBN 9781450393638. doi: 10.1145/3532721.3535566. URL <https://doi.org/10.1145/3532721.3535566>.
- [11] Jan Froehlich, Stefan Grandinetti, Bernd Eberhardt, Simon Walter, Andreas Schilling, and Harald Brendel. Creating cinematic wide gamut HDR-video for the evaluation of tone mapping operators and HDR-displays. In Nitin Sampat, Radka Tezaur, Sebastiano Battiato, and Boyd A. Fowler, editors, *Digital Photography X*, volume 9023, page 90230X. International Society for Optics and Photonics, SPIE, 2014. doi: 10.1117/12.2040003. URL <https://doi.org/10.1117/12.2040003>.
- [12] Li Song, Yankai Liu, Xiaokang Yang, Guangtao Zhai, Rong Xie, and Wenjun Zhang. The svtu_hdr video sequence dataset. In *Proceedings of International Conference on Quality of Multimedia Experience (QoMEX 2016)*, page 2, Lisbon, Portugal, 2016. tex.ids= Song.2016.SHv.
- [13] BT Series. Methods for conversion of high dynamic range content to standard dynamic range content and vice-versa. 2019.
- [14] Aliaksei Mikhailiuk, Clifford Wilmot, Maria Perez-Ortiz, Dingcheng Yue, and Rafał K. Mantiuk. Active sampling for pairwise comparisons via approximate message passing and information gain maximization. In *2020 25th International Conference on Pattern Recognition (ICPR)*, pages 2559–2566, 2021. doi: 10.1109/ICPR48806.2021.9412676.
- [15] Maria Perez-Ortiz and Rafał K Mantiuk. A practical guide and software for analysing pairwise comparison experiments. *arXiv preprint arXiv:1712.03686*, 2017.
- [16] Helge Seetzen, Hiroe Li, Linton Ye, Wolfgang Heidrich, Lorne Whitehead, and Greg Ward. 25.3: Observations of luminance, contrast and amplitude resolution of displays. In *SID Symposium Digest of Technical Papers*, volume 37, pages 1229–1233. Wiley Online Library, 2006.
- [17] Kenneth Chen, Thomas Wan, Nathan Matsuda, Ajit Niran, Alexandre Chapiro, and Qi Sun. Pea-pods: Perceptual evaluation of algorithms for power optimization in xr displays. *ACM Trans. Graph.*, 43(4), jul 2024. ISSN 0730-0301. doi: 10.1145/3658126. URL <https://doi.org/10.1145/3658126>.
- [18] Bhojan Anand, Karthik Thirugnanam, Jeena Sebastian, Pravein G. Kannan, Akhihebbal L. Ananda, Mun Choon Chan, and Rajesh Krishna Balan. Adaptive display power management for mobile games. In *Proceedings of the 9th International Conference on Mobile Systems, Applications, and Services*, MobiSys '11, page 57–70, New York, NY, USA, 2011. Association for Computing Machinery. ISBN 9781450306430. doi: 10.1145/1999995.2000002. URL <https://doi.org/10.1145/1999995.2000002>.

Author Biography

Kenneth Chen received his BA in computer science from the University of California, Berkeley (2021) and is currently a PhD student in computer science at New York University, supervised by Prof. Qi Sun. He has worked as an intern at Meta Reality Labs and at the University of Cambridge. His work has focused on the development of perceptual algorithms for immersive computational displays.

Yunxiang Zhang is a Ph.D. student at NYU, advised by Prof. Qi Sun in the Immersive Computing Lab. His current research revolves around virtual/augmented/mixed reality, human-computer

interaction, perceptual computer graphics, and machine learning, with a particular focus on AI-powered multimodal interaction experiences and human-AI co-creation systems. Prior to NYU, he obtained his M.Phil in the Multimedia Laboratory at CUHK under the supervision of Prof. Dahun Lin. Before that, he did his undergraduate studies at SJTU and École Polytechnique. During his graduate studies, he worked at Meta Reality Labs, Adobe Research, Intel Visual Compute & Graphics Lab, Vector Institute, and Télécom Paris through internships.

Qi Sun is an associate professor at New York University. Before joining NYU, he was a research scientist at Adobe Research. He received his PhD at Stony Brook University. His research interests lie in VR/AR, perceptual computer graphics, computational display, and applied perception. He is a recipient of the IEEE Virtual Reality Best Dissertation Award. With colleagues, his research has been recognized as several best paper and honorable mention awards at ACM SIGGRAPH, IEEE ISMAR, IEEE VR, IEEE VIS, and ACM SAP.

Alexandre Chapiro is an imaging architect and senior staff research scientist at Meta's Imaging Experiences Architecture team in Reality Labs. Previously, he worked in the Applied Perception Science team at Meta, Core Display Incubation team at Apple, the Applied Vision Science team at Dolby Laboratories, and the Stereo and Displays group at Disney Research Zurich. He earned a PhD from the Computer Graphics Laboratory at ETH Zurich, and holds MS and BS degrees in Mathematics. Alexandre is interested in solving novel problems for industry applications, touching on perception, computer graphics, computational display, and psychophysics. Prior work involved perceptual difference metrics, brightness and color, stereo 3D, the perception of faces, and display topics like virtual and augmented reality, frame rate, high dynamic range and more.

JOIN US AT THE NEXT EI!

electronic IMAGING

Imaging across applications . . . Where industry and academia meet!



- **SHORT COURSES • EXHIBITS • DEMONSTRATION SESSION • PLENARY TALKS •**
- **INTERACTIVE PAPER SESSION • SPECIAL EVENTS • TECHNICAL SESSIONS •**

www.electronicimaging.org

